

Litos serie

in&out &in

acabados. fnishes



C-1
C-3



R9
≥R11



Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V2



rectificado
rectified



exagres

TECHNICAL SOLUTIONS




Ártico



Sabana




Siberia



100x100 cm*
39.4" x 39.4"

C-1 R9

C-3 ≥R11 C Class



60x120 cm*
23.6" x 47.2"

C-1 R9

C-3 ≥R11 C Class



14,5x120 cm*
5.7" x 47.2"

C-1 R9



33x66,5 cm
13.0" x 26.2"

C-1 R9

C-3 ≥R11 C Class

Litos serie

piezas piscinas. pool pieces



Borde desbordante

28 x 66,5 cm
11.0" x 26.2"


☑ rectificado. rectified
☒ C-3 ☑ R12 ☑ C



Ángulo desbordante

31 x 31 cm
12.2"x12.2"

☑ rectificado. rectified
☒ C-3 ☑ R12 ☑ C



Rejilla

24,5x24,5 cm
9.6" x 9.6"

☑ rectificado. rectified
☒ C-3 ☑ R12 ☑ C



Ángulo rejilla

33 x 33 cm
13.0" x 13.0"

☑ rectificado. rectified
☒ C-3 ☑ R12 ☑ C




Media caña 4

4,2 x 33 cm
1.7" x 13.0"




Arista 3

3,3 x 33 cm
1.3"x 13.0"



Uña media caña 4

4,2 x 4,2 cm
1.7" x 1.7"




Uña arista 3

3,3 x 3,3 cm
1.3" x 1.3"




Arista 3

3,3 x 33 cm
1.3"x 13.0"



Uña media caña 4

4,2 x 4,2 cm
1.7" x 1.7"



Uña arista 3

3,3 x 3,3 cm
1.3" x 1.3"

exagres
TECHNICAL SOLUTIONS

peldaños y rodapiés. steps & skirtings



Peldaño recto 120

33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

✂ 12 mm

☑ rectificado. rectified
☒ C-3 ☑ R12 ☑ C



Remate peldaño recto

3 x 33 cm
1.2" x 13.0"

✂ 7,5 mm



Rodapié

9 x 40 cm
3.5" x 15.7"

✂ 15 mm



Zanquín recto izda./dcha.

18 x 40 cm
7.1" x 15.7"

✂ 15 mm

Litos



C-1
C-3



R9

≥R11 Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*




V2



rectificado
rectified



exagres
TECHNICAL SOLUTIONS



Peldaño recto 120
33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

✕ 12 mm

 rectificado. rectified

 C-3  R12  C

Ártico

Litos



C-1
C-3



R9

≥R11



Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V2




rectificado
rectified



exagres
TECHNICAL SOLUTIONS



Sabana



Peldaño recto 120
33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

✕ 12 mm

 rectificado. rectified

 C-3  R12  C

Litos



C-1
C-3



R9
≥R11 Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V2




rectificado
rectified



exagres
TECHNICAL SOLUTIONS



Siberia



Peldaño recto 120
33 x 120 x 3 cm
13.0" x 47.2" x 1.2"

✕ 12 mm

 rectificado. rectified

 C-3  R12  C

Litos



C-1
C-3



R9
≥R11



Clase C
C class



Ala <0,5%
Alb <1,5%
Bla <0,5%*



V2



rectificado
rectified



exagres
TECHNICAL SOLUTIONS

Peldaño recto 120

33 x 120 x 3 cm

13.0" x 47.2" x 1.2"

✂ 12 mm

Ártico

Sabana

Siberia



rectificado. rectified



C-3



R12



C



STONE

Litos
in&out &in



ESPAÑOL



ENGLISH

STONE

Litos indoor



siberia]

- 1 Base · 100x100 cm - C-1 / R9
- 2 Base · 60x120 cm - C-1 / R9

- 3 Peldaño recto 120 · 33x120x3 cm - C-3 / R12+C
- 4 Tabica · 14,5x120 cm - C-1 / R9

- 5 Remate peldaño recto · 3x33 cm



Litos outdoor+overflow pool coping

sabana]

- 1 Base · 60x120 cm - C-3 / ≥R11+C
- 2 Borde desbordante · 28x66,5 cm - C-3 / R12+C
- 3 Rejilla · 24,5x24,5 cm - C-3 / R12+C
- 4 Áng. desbordante · 31x31 cm - C-3 / R12+C
- 5 Ángulo rejilla · 33x33 cm - C-3 / R12+C
- 6 Peldaño recto 120 · 33x120x3 cm - C-3 / R12+C
- 7 Tabica · 14,5x120 cm - C-1 / R9



Litos indoor+overflow pool coping



siberia]

- 1 Base · 60x120 cm - C-3 / ≥R11+C
- 2 Borde desbordante · 28x66,5 cm - C-3 / R12+C
- 3 Rejilla · 24,5x24,5 cm - C-3 / R12+C
- 4 Áng. desbordante · 31x31 cm - C-3 / R12+C
- 5 Ángulo rejilla · 33x33 cm - C-3 / R12+C
- 6 Media caña 4 · 4,2x33 cm
- 7 Uña media caña 4 · 4,2x4,2 cm
- 8 Base · 33x66,5 cm - C-1 / R9



Borde desbordante
28 x 66,5 cm - 11.0" x 26.2"

C-3 R12 C

2



Ángulo desbordante
31 x 31 cm - 12.2" x 12.2"

C-3 R12 C


4



Rejilla
24,5 x 24,5 cm - 9.6" x 9.6"

C-3 R12 C

3



Ángulo rejilla
33 x 33 cm - 13.0" x 13.0"

C-3 R12 C

5



Media caña 4
4,2 x 33 cm - 1.7" x 13.0"

6



Uña media caña 4
4,2 x 4,2 cm - 1.7" x 1.7"

7

